

**RECEIVED**  
**CENTRAL FAX CENTER**

**FEB 28 2005**

Docket No. 004518/00019

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

<b>APPLICANT:</b>	West et al.	<b>EXAMINER:</b>	Vestal, R.M.
<b>SERIAL NO.:</b>	10/074,219	<b>GROUP:</b>	1753
<b>FILED:</b>	12 February 2002	<b>CONF. NO.:</b>	6185
<b>FOR:</b>	Combination pH Electrode with Stable Standard Potential		


COMMISSIONER FOR PATENTS  
P.O. BOX 1450  
ALEXANDRIA, VA 22313-1450  
**FILED VIA FACSIMILE TO: (703) 872-9306 (8 Total Pages)**

Sir:

**CORRECTED**  
**OFFICE ACTION RESPONSE UNDER 37 C.F.R. § 1.111**

In response to the Notice of Non-Compliant Amendment dated 22 February 2005 (copy attached) please enter the attached "corrected pages" of the Claim Listing portion of the Amendment filed on 03 February 2005.

Respectfully submitted,



Ernest V. Linek (Reg. No. 29,822)

Attorney for Applicant  
BANNER & WITCOFF, LTD.

28 State Street, 28<sup>th</sup> Floor

Boston, MA 02109-1775

Tel: (617) 720-9600

Fax: (617) 720-9601

E-Mail: ELinek@bannerwitcoff.com

Date: February 28, 2005